

ST - L Load Data

PIPE DATA							CONNECTION DATA					LOAD DATA			
SIZE	WT/FT	PE	WALL THICKNESS	NOMINAL I.D.	API DRIFT DIAMETER	NOMINAL PIPE BODY AREA	PIN I.D. BORED	MAKEUP LOSS	CRITICAL AREA	JOINT EFFICIENCY	GRADE	TENSILE JOINT STRENGTH	REFERENCE STRING LENGTH DF=1.4	REFERENCE MINIMUM PARTING LOAD	
in.	lbs./ft.	lbs./ft.	in.	in.	in.	sq. in.	in.	in.	sq in.	%		1000 lb.	ft.	1000 lbs	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	J55	32	5,160	43	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	K55	32	5,160	55	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	L80	46	7,420	55	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	N80	46	7,420	58	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	C90	52	8,380	58	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	T95	55	8,870	60	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	HC-T95	55	8,870	63	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	P110	63	10,160	72	
2 3/8	4.7	4.43	0.19	1.995	1.901	1.304	1.92	2.02	0.575	44.1	Q125	72	11,610	78	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	J55	50	6,210	68	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	K55	50	6,210	86	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	L80	72	8,940	86	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	N80	72	8,940	90	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	C90	81	10,060	90	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	T95	86	10,680	95	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	HC-T95	86	10,680	99	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	P110	99	12,300	113	
2 3/8	5.95	5.75	2.54	1.867	1.773	1.692	1.789	3.1	0.903	53.4	Q125	113	14,040	122	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	J55	49	5,680	67	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	K55	49	5,680	85	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	L80	71	8,230	85	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	N80	71	8,230	89	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	C90	80	9,280	89	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	T95	85	9,860	94	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	HC-T95	85	9,860	98	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	P110	98	11,360	112	
2 7/8	6.5	6.16	0.217	2.441	2.347	1.812	2.377	2.54	0.892	49.2	Q125	112	12,990	120	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	J55	68	6,340	93	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	K55	68	6,340	118	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	L80	99	9,230	118	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	N80	99	9,230	124	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	C90	112	10,440	124	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	T95	118	11,000	131	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	HC-T95	118	11,000	137	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	P110	137	12,780	155	
2 7/8	7.9	7.66	0.276	2.323	2.229	2.254	2.247	3.47	1.243	55.2	Q125	155	14,450	168	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	J55	77	6,520	106	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	K55	77	6,520	134	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	L80	113	9,560	134	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	N80	113	9,560	141	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	C90	127	10,750	141	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	T95	134	11,340	148	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	HC-T95	134	11,340	155	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	P110	155	13,120	176	
2 7/8	8.7	8.44	0.308	2.259	2.165	2.484	2.196	3.87	1.407	56.6	Q125	176	14,900	190	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	J55	63	5,930	86	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	K55	63	5,930	109	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	L80	92	8,630	109	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	N80	92	8,630	114	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	C90	103	9,710	114	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	T95	109	10,250	120	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	HC-T95	109	10,250	126	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	P110	126	11,860	143	
3 1/2	7.7	7.58	0.216	3.068	2.943	2.228	2.968	2.75	1.144	51.3	Q125	143	13,480	154	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	J55	71	5,760	97	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	K55	71	5,760	123	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	L80	104	8,430	123	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	N80	104	8,430	130	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	C90	117	9,490	130	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	T95	123	9,970	136	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	HC-T95	123	9,970	142	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	P110	142	11,510	162	
3 1/2	9.3	8.81	0.254	2.992	2.867	2.59	2.972	3	1.295	50	Q125	162	13,130	175	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	J55	90	6,490	123	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	K55	90	6,490	156	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	L80	131	9,440	156	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	N80	131	9,440	164	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	C90	148	10,670	164	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	T95	156	11,240	173	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	HC-T95	156	11,240	181	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	P110	181	13,050	205	
3 1/2	10.3	9.91	0.289	2.922	2.797	2.915	2.845	3.74	1.643	56.4	Q125	205	14,780	222	
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	J55	131	7,470	179	
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	K55	131	7,470	226	
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	L80	190	10,840	226	

3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	N80	190	10,840	238
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	C90	214	12,210	238
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	T95	226	12,890	250
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	HC-T95	226	12,890	262
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	P110	262	14,950	298
3 1/2	12.95	12.52	0.375	2.75	2.625	3.682	2.652	4.31	2.381	64.7	Q125	298	17,000	321
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	J55	166	7,710	226
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	K55	166	7,710	287
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	L80	241	11,200	287
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	N80	241	11,200	302
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	C90	271	12,590	302
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	T95	287	13,340	317
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	HC-T95	287	13,340	332
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	P110	332	15,430	377
3 1/2	15.8	15.37	0.476	2.548	2.423	4.522	2.489	5.34	3.016	66.7	Q125	377	17,520	407
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	J55	69	5,410	94
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	K55	69	5,410	120
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	L80	101	7,920	120
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	N80	101	7,920	126
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	C90	113	8,860	126
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	T95	120	9,410	132
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	HC-T95	120	9,410	138
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	P110	138	10,820	157
4	9.5	9.11	0.226	3.548	3.423	2.68	3.468	2.5	1.259	47	Q125	157	12,310	170
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	J55	93	6,350	127
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	K55	93	6,350	161
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	L80	136	9,290	161
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	N80	136	9,290	170
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	C90	153	10,450	170
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	T95	161	10,990	178
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	HC-T95	161	10,990	187
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	P110	187	12,770	212
4	11	10.46	0.262	3.478	3.351	3.077	3.387	3.42	1.696	55.1	Q125	212	14,480	229
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	J55	104	6,550	141
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	K55	104	6,550	167
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	L80	151	9,510	179
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	N80	151	9,510	189
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	C90	170	10,710	189
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	T95	179	11,270	198
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	HC-T95	179	11,270	207
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	P110	207	13,040	236
4	11.6	11.34	0.286	3.428	3.303	3.337	3.347	3.75	1.885	56.6	Q125	236	14,870	254
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	J55	122	6,740	167
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	K55	122	6,740	191
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	L80	178	9,830	211
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	N80	178	9,830	222
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	C90	200	11,050	222
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	T95	211	11,660	233
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	HC-T95	211	11,660	245
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	P110	245	13,530	278
4	13.4	12.93	0.33	3.34	3.215	3.805	3.274	4.34	2.223	58.4	Q125	278	15,360	300
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	J55	74	5,620	101
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	K55	74	5,620	128
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	L80	108	8,210	128
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	N80	108	8,210	135
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	C90	121	9,190	135
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	T95	128	9,730	141
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	HC-T95	128	9,730	148
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	P110	148	11,250	168
4 1/2	9.5	9.4	0.205	4.09	3.965	2.766	4.01	2.46	1.345	48.6	Q125	168	12,770	182
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	J55	80	5,590	110
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	K55	80	5,590	139
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	L80	117	8,170	139
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	N80	117	8,170	146
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	C90	131	9,150	146
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	T95	139	9,710	153
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	HC-T95	139	9,710	161
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	P110	161	11,240	183
4 1/2	10.5	10.23	0.224	4.052	3.927	3.009	3.952	2.63	1.46	48.5	Q125	183	12,780	197
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	J55	93	6,160	127
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	K55	93	6,160	161
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	L80	136	9,000	161
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	N80	136	9,000	170
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	C90	153	10,130	170
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	T95	161	10,660	178
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	HC-T95	161	10,660	187
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	P110	187	12,380	212
4 1/2	11	10.79	0.237	4.026	3.901	3.174	3.944	3.09	1.698	53.3	Q125	212	14,030	229
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	J55	97	6,100	132
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	K55	97	6,100	167
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	L80	141	8,870	167

4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	N80	141	8,870	176
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	C90	159	10,010	176
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	T95	167	10,510	185
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	HC-T95	167	10,510	194
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	P110	194	12,210	220
4 1/2	11.6	11.35	0.25	4	3.875	3.338	3.93	2.87	1.762	52.8	Q125	220	13,850	238
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	J55	111	6,480	151
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	K55	111	6,480	191
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	L80	161	9,400	191
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	N80	161	9,400	201
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	C90	181	10,560	201
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	T95	191	11,150	211
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	HC-T95	191	11,150	221
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	P110	221	12,900	251
4 1/2	12.75	12.24	0.271	3.958	3.833	3.6	3.886	3.57	2.011	55.9	Q125	251	14,650	271
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	J55	113	6,290	154
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	K55	113	6,290	195
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	L80	164	9,130	195
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	N80	164	9,130	205
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	C90	185	10,300	205
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	T95	195	10,860	216
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	HC-T95	195	10,860	226
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	P110	226	12,580	257
5	13	12.83	0.253	4.494	4.369	3.773	4.421	3.25	2.054	54.4	Q125	257	14,310	277
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	J55	137	6,580	187
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	K55	137	6,580	237
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	L80	200	9,610	237
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	N80	200	9,610	249
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	C90	224	10,760	249
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	T95	237	11,380	262
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	HC-T95	237	11,380	274
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	P110	274	13,160	312
5	15	14.87	0.296	4.408	4.283	4.374	4.335	3.86	2.494	57	Q125	312	14,990	337
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	J55	170	6,770	232
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	K55	170	6,770	294
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	L80	248	9,880	294
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	N80	248	9,880	310
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	C90	279	11,110	307
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	T95	295	11,750	325
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	HC-T95	295	11,750	341
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	P110	341	13,580	387
5	18	17.93	0.362	4.276	4.151	5.275	4.206	3.16	3.103	58.8	Q125	387	15,410	418
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	J55	214	7,640	292
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	K55	214	7,640	370
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	L80	311	11,100	370
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	N80	311	11,100	389
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	C90	350	12,490	389
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	T95	370	13,210	409
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	HC-T95	370	13,210	428
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	P110	428	15,280	487
5	20.3	20.01	0.408	4.184	4.059	5.886	4.104	4.75	3.892	66.1	Q125	487	17,380	525
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	J55	205	7,100	280
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	K55	205	7,100	354
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	L80	298	10,320	354
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	N80	298	10,320	373
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	C90	336	11,630	373
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	T95	354	12,260	392
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	HC-T95	354	12,260	410
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	P110	410	14,200	466
5	20.8	20.63	0.422	4.156	4.031	6.069	4.081	4	3.729	61.4	Q125	466	16,130	503
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	J55	252	7,800	344
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	K55	252	7,800	436
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	L80	367	11,360	436
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	N80	367	11,360	459
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	C90	413	12,780	459
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	T95	436	13,490	482
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	HC-T95	436	13,490	505
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	P110	505	15,630	574
5	23.2	23.08	0.478	4.044	3.919	6.791	3.975	5.52	4.588	67.6	Q125	574	17,760	619
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	J55	224	6,660	305
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	K55	224	6,660	387
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	L80	326	9,690	387
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	N80	326	9,690	407
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	C90	366	10,880	407
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	T95	387	11,500	427
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	HC-T95	387	11,500	448
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	P110	448	13,320	509
5	24.2	24.03	0.5	4	3.875	7.069	4.044	3.57	4.071	57.6	Q125	509	15,130	550
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	J55	118	6,150	162
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	K55	118	6,150	205
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	L80	172	8,970	205

5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	N80	172	8,970	215
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	C90	194	10,110	215
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	T95	205	10,690	226
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	HC-T95	205	10,690	237
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	P110	237	12,360	269
5 1/2	14	13.7	0.244	5.012	4.887	4.029	4.941	3.05	2.154	53.5	Q125	269	14,030	291
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	J55	122	5,680	167
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	K55	122	5,680	211
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	L80	178	8,280	211
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	N80	178	8,280	223
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	C90	200	9,310	223
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	T95	211	9,820	234
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	HC-T95	211	9,820	245
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	P110	245	11,400	278
5 1/2	15.5	15.35	0.275	4.95	4.825	4.514	4.89	3	2.226	49.3	Q125	278	12,940	301
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	J55	153	6,490	209
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	K55	153	6,490	265
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	L80	223	9,440	265
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	N80	223	10,030	279
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	C90	251	10,620	279
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	T95	265	11,210	293
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	HC-T95	265	11,210	306
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	P110	306	12,980	348
5 1/2	17	16.87	3.04	4.892	4.767	4.962	4.822	3.62	2.786	56.1	Q125	348	14,750	376
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	J55	189	6,810	258
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	K55	189	6,810	327
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	L80	275	9,920	327
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	N80	275	9,920	344
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	C90	309	11,140	344
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	T95	327	11,790	361
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	HC-T95	327	11,790	378
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	P110	378	13,630	430
5 1/2	20	19.81	0.361	4.778	4.653	5.828	4.708	4.64	3.438	59	Q125	430	15,500	464
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	J55	233	7,390	318
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	K55	233	7,390	403
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	L80	339	10,740	403
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	N80	339	11,410	424
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	C90	381	12,080	424
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	T95	403	12,760	445
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	HC-T95	403	12,760	466
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	P110	466	14,770	530
5 1/2	23	22.54	0.415	4.67	4.545	6.63	4.6	4.2	4.237	63.9	Q125	530	16,780	572
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	J55	274	7,330	373
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	K55	274	7,330	473
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	L80	398	10,660	473
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	N80	398	10,660	498
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	C90	448	11,990	498
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	T95	473	12,650	523
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	HC-T95	473	12,650	548
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	P110	548	14,650	622
5 1/2	26.8	26.7	0.5	4.468	4.375	7.854	4.468	5.44	4.979	63.4	Q125	622	16,650	672
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	J55	277	7,750	378
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	K55	277	7,750	479
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	L80	403	11,270	479
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	N80	403	11,270	504
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	C90	453	12,670	504
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	T95	479	13,400	529
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	HC-T95	479	13,400	554
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	P110	554	15,490	630
5 1/2	26	25.54	0.476	4.548	4.423	7.513	4.492	5.44	5.037	67	Q125	630	17,620	680
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	J55	264	6,700	360
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	K55	264	6,700	456
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	L80	384	9,750	456
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	N80	384	9,750	481
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	C90	432	10,970	481
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	T95	456	11,580	505
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	HC-T95	456	11,580	529
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	P110	529	13,430	601
5 1/2	28.4	28.13	0.53	4.44	4.315	8.275	4.501	3.76	4.805	58.1	Q125	601	15,260	649
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	J55	280	6,750	382
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	K55	280	6,750	484
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	L80	408	9,830	484
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	N80	408	9,830	510
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	C90	459	11,060	510
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	T95	484	11,660	535
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	HC-T95	484	11,660	561
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	P110	561	13,520	637
5 1/2	29.7	29.64	0.562	4.376	4.251	8.718	4.456	3.96	5.096	58.5	Q125	637	15,350	688
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	J55	297	6,640	405
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	K55	297	6,640	513
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	L80	432	9,660	513

5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	N80	432	9,660	540
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	C90	486	10,870	540
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	T95	513	11,470	567
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	HC-T95	513	11,470	594
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	P110	594	13,280	675
5 1/2	32	31.95	0.612	4.276	4.151	9.398	4.406	4.16	5.397	57.4	Q125	675	15,090	729
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	J55	180	6,600	245
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	K55	180	6,600	310
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	L80	261	9,570	310
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	N80	261	9,570	327
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	C90	294	10,770	327
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	T95	310	11,360	343
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	HC-T95	310	11,360	359
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	P110	359	13,160	408
6 5/8	20	19.49	0.288	6.049	5.924	5.734	5.987	3.82	3.267	57	Q125	408	14,950	441
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	J55	228	6,910	311
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	K55	228	6,910	394
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	L80	332	10,060	394
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	N80	332	10,060	415
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	C90	374	11,330	415
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	T95	394	11,940	436
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	HC-T95	394	11,940	457
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	P110	457	13,840	519
6 5/8	24	23.58	0.352	5.921	5.796	6.937	5.866	4.74	4.15	59.8	Q125	519	15,720	560
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	J55	299	7,720	408
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	K55	299	7,720	517
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	L80	435	11,240	517
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	N80	435	11,240	544
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	C90	489	12,630	544
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	T95	517	13,360	571
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	HC-T95	517	13,360	598
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	P110	598	15,450	680
6 5/8	28	27.65	0.417	5.791	5.666	8.133	5.711	4.95	5.437	66.9	Q125	680	17,570	734
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	J55	344	7,880	469
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	K55	344	7,880	594
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	L80	500	11,450	594
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	N80	500	11,450	625
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	C90	563	12,890	625
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	T95	594	13,600	656
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	HC-T95	594	13,600	688
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	P110	688	15,750	781
6 5/8	32	31.2	0.475	5.675	5.55	9.177	5.61	5.61	6.25	68.1	Q125	781	17,880	844
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	J55	142	6,070	194
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	K55	142	6,070	246
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	L80	207	8,850	246
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	N80	207	8,850	259
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	C90	233	9,970	259
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	T95	246	10,520	271
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	HC-T95	246	10,520	284
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	P110	284	12,150	323
7	17	16.7	0.231	6.538	6.413	4.912	6.466	2.9	2.585	52.6	Q125	323	13,820	349
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	J55	176	6,430	240
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	K55	176	6,430	304
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	L80	256	9,360	304
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	N80	256	9,360	320
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	C90	288	10,530	320
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	T95	304	1,110	336
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	HC-T95	304	1,110	352
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	P110	352	12,870	401
7	20	19.54	0.272	6.456	6.331	5.749	6.394	3.5	3.204	55.7	Q125	401	14,660	433
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	J55	213	6,720	290
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	K55	213	6,720	368
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	L80	310	9,780	368
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	N80	310	9,780	387
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	C90	348	10,980	387
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	T95	368	11,620	406
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	HC-T95	368	11,620	426
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	P110	426	13,450	484
7	23	22.63	0.317	6.366	6.25	6.655	6.304	4.16	3.871	58.2	Q125	484	15,280	523
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	J55	260	7,240	355
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	K55	260	7,240	499
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	L80	378	10,530	449
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	N80	378	11,190	473
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	C90	426	11,850	473
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	T95	449	12,510	497
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	HC-T95	449	12,510	520
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	P110	520	14,480	591
7	26	25.66	0.362	6.276	6.151	7.549	6.211	3.62	4.729	62.7	Q125	591	16,460	638
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	J55	297	7,390	405
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	K55	297	7,390	513
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	L80	432	10,740	513

7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	N80	432	10,740	540
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	C90	486	12,090	540
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	T95	513	12,760	567
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	HC-T95	513	12,760	594
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	P110	594	14,770	675
7	29	28.72	0.408	6.184	6.059	8.449	6.189	4.09	5.403	63.9	Q125	675	16,790	729
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	J55	343	7,740	468
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	K55	343	7,740	593
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	L80	500	11,280	593
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	N80	500	11,280	625
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	C90	562	12,680	625
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	T95	593	13,370	656
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	HC-T95	593	13,370	687
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	P110	687	15,490	781
7	32	31.67	0.453	6.094	6	9.317	6.026	5.28	6.245	67	Q125	781	17,610	843
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	J55	380	7,850	518
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	K55	380	7,850	657
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	L80	553	11,420	657
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	N80	553	11,420	691
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	C90	622	12,850	691
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	T95	657	13,570	726
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	HC-T95	657	13,570	760
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	P110	760	15,700	864
7	35	34.58	0.498	6.004	5.879	10.172	5.945	5.79	6.911	67.9	Q125	864	17,850	933
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	J55	414	7,940	564
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	K55	414	7,940	714
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	L80	602	11,540	714
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	N80	602	11,540	752
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	C90	677	12,980	752
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	T95	714	13,690	790
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	HC-T95	714	13,690	827
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	P110	827	15,850	940
7	38	37.26	0.54	5.92	5.795	10.959	5.85	6.27	7.52	68.6	Q125	940	18,020	1015
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	J55	443	7,830	604
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	K55	443	7,830	644
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	L80	644	11,390	765
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	N80	684	12,100	805
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	C90	725	12,810	805
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	T95	765	13,353	845
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	HC-T95	765	13,530	886
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	P110	886	15,660	1006
7	41	40.39	0.59	5.82	5.695	11.881	5.75	6.68	8.057	67.8	Q125	1006	17,800	1087
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	J55	457	7,510	623
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	K55	457	7,510	790
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	L80	665	10,930	790
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	N80	665	10,930	831
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	C90	748	12,290	831
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	T95	790	12,980	873
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	HC-T95	790	12,980	914
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	P110	914	15,020	1039
7	44	43.47	0.64	5.72	5.595	12.788	5.747	4.44	8.312	65	Q125	1039	17,070	1122
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	J55	473	7,460	646
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	K55	473	7,460	818
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	L80	689	10,860	818
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	N80	689	10,860	861
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	C90	775	12,220	861
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	T95	818	12,900	904
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	HC-T95	818	12,900	947
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	P110	947	14,930	1076
7	46.4	45.3	0.67	5.66	5.535	13.324	5.707	4.81	8.609	64.6	Q125	1076	16,970	1162
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	J55	540	7,890	736
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	K55	540	7,880	932
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	L80	785	11,470	932
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	N80	785	11,470	981
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	C90	883	12,900	981
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	T95	932	13,620	1030
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	HC-T95	932	13,620	1079
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	P110	1079	15,770	1226
7	49.5	48.88	0.73	5.54	5.415	14.379	5.54	7.25	9.81	68.2	Q125	1226	117,920	1324
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	J55	218	6,630	297
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	K55	218	6,630	377
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	L80	317	9,650	377
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	N80	317	9,650	396
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	C90	357	10,860	396
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	T95	377	11,470	416
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	HC-T95	377	11,470	436
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	P110	436	13,270	496
7 5/8	24	23.47	0.3	7.025	6.9	6.904	6.955	2.89	3.964	57.4	Q125	496	15,100	535
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	J55	241	6,730	328
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	K55	241	6,730	415
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	L80	350	9,780	415

7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	N80	350	9,780	437
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	C90	394	11,010	437
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	T95	415	11,600	459
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	HC-T95	415	11,600	481
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	P110	481	13,440	547
7 5/8	26.4	25.56	0.328	6.969	6.844	7.519	6.889	4.29	4.373	58.2	Q125	547	15,290	590
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	J55	305	7,500	416
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	K55	305	7,500	527
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	L80	444	10,920	527
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	N80	444	10,920	555
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	C90	500	12,300	555
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	T95	527	12,960	583
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	HC-T95	527	12,960	611
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	P110	611	15,030	694
7 5/8	29.7	29.04	0.375	6.875	6.75	8.541	6.782	4.39	5.55	65	Q125	694	17,070	749
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	J55	357	7,720	487
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	K55	357	7,720	616
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	L80	519	11,220	616
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	N80	519	11,920	649
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	C90	584	12,630	649
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	T95	616	13,330	681
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	HC-T95	616	13,330	714
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	P110	714	15,430	811
7 5/8	33.7	33.04	0.43	6.765	6.64	9.72	6.686	5.03	6.489	66.8	Q125	811	17,540	876
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	J55	392	7,360	535
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	K55	392	7,360	678
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	L80	571	10,720	678
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	N80	571	10,720	714
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	C90	642	12,050	714
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	T95	678	12,730	749
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	HC-T95	678	12,730	785
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	P110	785	14,740	892
7 5/8	39	38.05	0.5	6.625	6.5	11.192	6.565	4.84	7.135	63.8	Q125	892	16,740	963
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	J55	477	8,040	650
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	K55	477	8,040	823
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	L80	693	11,680	823
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	N80	693	11,680	867
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	C90	780	13,140	867
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	T95	823	13,870	910
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	HC-T95	823	13,870	953
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	P110	953	16,060	1084
7 5/8	42.8	42.39	0.562	6.501	6.376	12.47	6.453	6.6	8.668	69.5	Q125	1084	18,270	1170
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	J55	506	8,090	689
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	K55	506	8,090	873
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	L80	735	11,750	873
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	N80	735	11,750	919
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	C90	827	13,220	919
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	T95	873	13,960	965
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	HC-T95	873	13,960	1011
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	P110	1011	16,170	1149
7 5/8	45.3	44.67	0.595	6.435	6.31	13.141	6.397	6.97	9.191	69.9	Q125	1149	18,370	1241
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	J55	531	8,120	724
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	K55	531	8,120	917
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	L80	772	11,800	917
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	N80	772	11,800	965
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	C90	869	13,280	965
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	T95	917	14,020	1014
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	HC-T95	917	14,020	1062
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	P110	1062	16,230	1207
7 5/8	47.1	46.73	0.625	6.375	6.25	13.744	6.347	7.31	9.653	70.2	Q125	1207	18,450	1303
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	J55	498	6,990	679
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	K55	498	6,990	860
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	L80	724	10,160	860
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	N80	724	10,160	905
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	C90	815	11,430	905
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	T95	860	12,070	950
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	HC-T95	860	12,070	996
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	P110	996	13,970	1131
7 5/8	51.2	50.91	0.687	6.251	6.126	14.974	6.39	4.99	9.05	60.4	Q125	1131	15,870	1222
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	J55	507	6,890	691
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	K55	507	6,890	876
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	L80	737	10,010	876
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	N80	737	10,010	922
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	C90	830	11,280	922
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	T95	876	11,900	968
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	HC-T95	876	11,900	1014
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	P110	1014	13,780	1152
7 5/8	53.06	52.57	0.712	6.201	6.076	15.463	6.384	5.07	9.218	59.6	Q125	1152	15,650	1244
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	J55	512	8,040	698
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	K55	512	8,040	884
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	L80	744	11,690	884

7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	N80	744	11,690	930
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	C90	837	13,150	930
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	T95	884	13,890	977
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	HC-T95	884	13,890	1023
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	P110	1023	16,070	1163
7 3/4	46.1	45.47	0.595	6.56	6.5	13.374	6.555	6.92	9.303	69.6	Q125	1163	18,270	1256
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	J55	208	6,300	284
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	K55	208	6,300	360
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	L80	303	9,180	360
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	N80	303	9,180	379
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	C90	341	10,330	379
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	T95	360	10,910	398
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	HC-T95	360	10,910	417
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	P110	417	12,640	474
8 5/8	24	23.57	0.264	8.097	7.972	6.934	8.032	3.23	3.788	54.6	Q125	474	14,360	511
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	J55	249	6,580	340
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	K55	249	6,580	431
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	L80	363	9,600	431
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	N80	363	9,600	454
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	C90	408	10,790	454
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	T95	431	11,390	476
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	HC-T95	431	11,390	499
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	P110	499	13,190	567
8 5/8	28	27.02	0.304	8.017	7.892	7.947	7.962	3.83	4.536	57.1	Q125	567	14,990	612
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	J55	298	6,840	407
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	K55	298	6,840	515
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	L80	434	9,970	515
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	N80	434	9,970	542
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	C90	488	11,210	542
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	T95	515	11,830	569
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	HC-T95	515	11,830	597
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	P110	597	13,710	678
8 5/8	32	31.1	0.352	7.921	7.875	9.149	7.88	4.53	5.423	59.3	Q125	678	15,570	732
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	J55	375	7,620	511
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	K55	375	7,620	648
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	L80	546	11,100	648
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	N80	546	11,100	682
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	C90	614	12,480	682
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	T95	648	13,170	716
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	HC-T95	648	13,170	750
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	P110	750	15,250	852
8 5/8	36	35.14	0.4	7.825	7.7	10.336	7.753	4.63	6.819	66	Q125	852	17,320	921
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	J55	428	7,780	583
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	K55	428	7,780	739
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	L80	622	11,310	739
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	N80	622	11,310	778
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	C90	700	12,730	778
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	T95	739	13,430	817
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	HC-T95	739	13,430	856
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	P110	856	15,560	972
8 5/8	40	39.29	0.45	7.725	7.625	11.557	7.665	5.22	7.778	67.3	Q125	972	17,670	1050
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	J55	408	6,720	557
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	K55	408	6,720	705
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	L80	594	9,780	705
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	N80	594	9,780	742
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	C90	668	11,000	742
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	T95	705	11,610	779
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	HC-T95	705	11,610	817
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	P110	817	13,450	928
8 5/8	44	43.39	0.5	7.625	7.5	12.763	7.669	3.65	7.423	58.2	Q125	928	15,280	1002
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	J55	459	6,820	625
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	K55	459	6,820	792
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	L80	667	9,930	792
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	N80	667	9,930	834
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	C90	750	11,170	834
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	T95	792	11,790	875
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	HC-T95	792	11,790	917
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	P110	917	13,650	1042
8 5/8	49	48	0.557	7.511	7.386	14.118	7.583	4.05	8.338	59.1	Q125	1042	15,510	1126
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	J55	338	6,930	461
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	K55	338	6,930	584
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	L80	492	10,800	584
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	N80	492	10,080	615
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	C90	553	11,340	615
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	T95	584	11,970	645
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	HC-T95	584	11,970	676
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	P110	676	13,850	768
9 5/8	36	34.86	0.352	8.921	8.765	10.254	8.875	4.71	6.147	59.9	Q125	768	15,740	830
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	J55	378	6,930	515
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	K55	378	6,930	652
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	L80	549	10,070	652



9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	N80	549	10,070	687
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	C90	618	11,340	687
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	T95	652	11,960	721
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	HC-T95	652	11,960	755
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	P110	755	13,850	858
9 5/8	40	38.94	0.395	8.835	8.75	11.454	8.797	3.57	6.865	59.9	Q125	858	15,740	927
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	J55	460	7,690	627
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	K55	460	7,690	794
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	L80	669	11,190	794
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	N80	669	11,190	836
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	C90	752	12,590	836
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	T95	794	13,290	878
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	HC-T95	794	13,290	920
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	P110	920	15,390	1045
9 5/8	43.5	42.69	0.435	8.755	8.599	12.559	8.68	5.09	8.361	66.5	Q125	1045	17,490	1129
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	J55	493	7,630	672
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	K55	493	7,630	851
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	L80	717	11,100	851
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	N80	717	11,100	896
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	C90	806	12,480	896
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	T95	851	13,170	941
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	HC-T95	851	13,170	986
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	P110	986	15,260	1120
9 5/8	47	46.14	0.472	8.681	5.525	13.572	8.646	5.5	8.961	66	Q125	1120	17,340	1210
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	J55	538	7,270	734
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	K55	538	7,270	929
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	L80	782	10,570	929
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	N80	782	10,570	978
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	C90	880	11,890	978
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	T95	929	12,560	1027
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	HC-T95	929	12,560	1076
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	P110	1076	14,540	1223
9 5/8	53.5	52.85	0.545	8.535	8.5	15.546	8.565	5.5	9.78	62.9	Q125	1223	16,530	1320
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	J55	603	7,510	823
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	K55	603	7,510	1042
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	L80	878	10,930	1042
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	N80	878	10,930	1097
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	C90	987	12,290	1097
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	T95	1042	12,970	1152
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	HC-T95	1042	12,970	1207
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	P110	1207	15,030	1371
9 5/8	58.4	57.38	0.595	8.435	8.375	16.879	8.459	5.69	10.97	65	Q125	1371	17,070	1481
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	J55	702	8,120	958
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	K55	702	8,120	1213
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	L80	1022	11,820	1213
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	N80	1022	11,820	1277
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	C90	1149	13,290	1277
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	T95	1213	14,030	1341
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	HC-T95	1213	14,030	1405
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	P110	1405	16,250	1596
9 7/8	62.8	61.74	0.625	8.625	8.469	18.162	8.565	7.34	12.769	70.3	Q125	1596	18,460	1724
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	J55	377	6,930	514
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	K55	377	6,930	651
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	L80	548	10,070	651
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	N80	548	10,070	685
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	C90	617	11,340	685
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	T95	651	11,960	720
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	HC-T95	651	11,960	754
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	P110	754	13,850	857
10 3/4	40.5	38.88	0.35	10.05	9.894	11.435	10.008	4.64	6.854	59.9	Q125	857	15,740	925
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	J55	429	6,930	585
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	K55	429	6,930	741
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	L80	624	10,080	741
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	N80	624	10,080	780
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	C90	702	11,340	780
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	T95	741	11,970	819
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	HC-T95	741	11,970	858
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	P110	858	13,860	975
10 3/4	45.5	44.22	0.4	9.95	9.875	13.006	9.936	4.99	7.796	59.9	Q125	975	15,750	1052
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	J55	541	7,810	737
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	K55	541	7,810	934
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	L80	786	11,340	934
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	N80	786	11,340	983
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	C90	885	12,770	983
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	T95	934	13,480	1032
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	HC-T95	934	13,480	1081
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	P110	1081	15,600	1229
10 3/4	51	49.5	0.45	9.85	9.694	14.561	9.764	5.27	9.831	67.5	Q125	1229	17,730	1327
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	J55	526	6,930	717
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	K55	526	6,930	908
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	L80	765	10,080	908

10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	N80	765	10,080	956
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	C90	860	11,330	956
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	T95	908	11,960	1004
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	HC-T95	908	11,960	1051
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	P110	1051	13,850	1195
10 3/4	55.5	54.21	0.495	9.76	9.625	15.947	9.802	5.59	9.559	59.9	Q125	1195	15,750	1290
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	J55	670	8,060	913
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	K55	670	8,060	1157
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	L80	974	11,710	1157
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	N80	974	11,710	1218
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	C90	1096	13,180	1218
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	T95	1157	13,910	1278
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	HC-T95	1157	13,910	1339
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	P110	1339	16,100	1522
10 3/4	60.7	59.4	0.545	9.66	9.504	17.473	9.585	5.91	12.175	69.7	Q125	1522	18,300	1644
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	J55	626	6,930	853
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	K55	626	6,930	1081
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	L80	910	10,070	1081
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	N80	910	10,070	1138
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	C90	1024	11,330	1138
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	T95	1081	11,970	1195
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	HC-T95	1081	11,970	1252
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	P110	1252	13,860	1422
10 3/4	65.7	64.53	0.595	9.56	9.404	18.982	9.665	6.22	11.378	59.9	Q125	1422	15,740	1536
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	J55	570	6,920	778
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	K55	570	6,920	985
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	L80	830	10,080	985
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	N80	830	10,080	1037
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	C90	933	11,330	1037
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	T95	985	11,960	1089
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	HC-T95	985	11,960	1141
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	P110	1141	13,860	1296
11 3/4	60	58.81	0.489	10.772	10.625	17.3	10.815	5.52	10.369	59.9	Q125	1296	15,740	1400
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	J55	609	6,800	830
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	K55	609	6,800	1051
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	L80	885	9,880	1051
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	N80	885	9,880	1107
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	C90	996	11,120	1107
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	T95	1051	11,740	1162
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	HC-T95	1051	11,740	1217
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	P110	1217	13,590	1383
11 3/4	65	63.97	0.534	10.682	10.625	18.816	10.699	5.61	11.067	58.8	Q125	1383	15,440	1494
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	J55	673	6,920	918
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	K55	673	6,920	1163
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	L80	979	10,070	1163
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	N80	979	10,070	1224
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	C90	1102	11,340	1224
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	T95	1163	11,970	1285
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	HC-T95	1163	11,970	1346
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	P110	1346	13,850	1530
11 3/4	71	69.42	0.582	10.586	10.43	20.42	10.687	6.11	12.24	59.9	Q125	1530	15,740	1652
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	J55	713	6,930	972
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	K55	713	6,930	1231
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	L80	1036	10,070	1231
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	N80	1036	10,070	1296
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	C90	1166	11,340	1296
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	T95	1231	11,970	1360
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	HC-T95	1231	11,970	1425
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	P110	1425	13,850	1619
11 3/4	74.6	73.47	0.618	10.514	10.358	21.613	10.638	6.31	12.955	59.9	Q125	1619	15,740	1749
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	J55	681	6,930	928
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	K55	681	6,930	1176
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	L80	990	10,070	1176
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	N80	990	10,070	1238
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	C90	1114	11,340	1238
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	T95	1176	11,970	1300
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	HC-T95	1176	11,970	1361
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	P110	1361	13,850	1547
11 7/8	71.8	70.19	0.582	10.711	10.555	20.648	10.812	6.11	12.377	59.9	Q125	1547	15,740	1671
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	J55	577	6,930	786
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	K55	577	6,930	996
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	L80	839	10,080	996
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	N80	839	10,080	1048
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	C90	943	11,330	1048
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	T95	996	11,970	1101
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	HC-T95	996	11,970	1153
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	P110	1153	13,850	1310
13 3/8	61	59.45	0.43	12.515	12.359	17.487	12.531	5.1	10.482	59.9	Q125	1310	15,740	1415
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	J55	641	6,930	874
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	K55	641	6,930	1107
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	L80	932	10,070	1107

13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	N80	932	10,070	1166
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	C90	1049	11,340	1166
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	T95	1107	11,960	1224
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	HC-T95	1107	11,960	1282
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	P110	1282	13,850	1457
13 3/8	68	66.1	0.48	12.415	12.259	19.445	12.4611	5.41	11.656	59.9	Q125	1457	15,740	1574
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	J55	789	7,980	1075
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	K55	789	7,980	1362
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	L80	1147	11,600	1362
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	N80	1147	11,600	1434
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	C90	1291	13,060	1434
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	T95	1362	13,780	1506
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	HC-T95	1362	13,780	1577
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	P110	1577	15,960	1792
13 3/8	72	70.6	0.514	12.347	12.25	20.768	12.298	6.03	14.339	69	Q125	1792	18,130	1936
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	J55	731	6,930	996
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	K55	731	6,930	1262
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	L80	1063	10,080	1262
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	N80	1063	10,080	1328
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	C90	1195	11,330	1328
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	T95	1262	11,970	1395
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	HC-T95	1262	11,970	1461
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	P110	1461	13,850	1660
13 3/8	77	75.33	0.55	12.275	12.119	22.16	12.363	5.86	13.283	59.9	Q125	1660	15,740	1793
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	J55	804	6,930	1096
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	K55	804	6,930	1389
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	L80	1169	10,070	1389
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	N80	1169	10,070	1462
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	C90	1316	11,340	1462
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	T95	1389	11,970	1535
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	HC-T95	1389	11,970	1608
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	P110	1608	13,850	1827
13 3/8	85	82.9	0.608	12.159	12.003	24.386	12.284	6.19	14.617	59.9	Q125	1827	15,740	1973
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	J55	993	8,170	1354
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	K55	993	8,170	1715
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	L80	1444	11,890	1715
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	N80	1444	11,890	1805
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	C90	1624	13,370	1804
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	T95	1714	14,110	1895
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	HC-T95	1714	14,110	1895
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	P110	1985	15,600	2256
13 5/8	88.2	86.78	0.625	12.375	12.219	25.525	12.343	7.34	18.048	70.7	Q125	2256	18,570	2436



























